


ЭЛЕКТРОДВИГАТЕЛИ КРАНОВЫЕ С ФАЗНЫМ РОТОРОМ

Монтажное исполнение IM 1001 (1003), 1002 (1004)*




Габаритные, установочные и присоединительные размеры крановых электродвигателей с фазным ротором

Тип двигателя		l30*	l33	h31	l10	l11	l31	l31*	b10	b11	h	h10	d10
		L*	LC	HD	B	BB	C	C*	A	AB	H	HA	K
МТН 011-6***	1001, 1002	585	648	320	150	250		132	180	230	112	20	12
	2001, 2002		648	320	150	250		276	180	230	112	20	12
ДМТН 011-6	1001, 1002		577	290	140	220	70		190	240	112	15	12
	2001, 2002		577	350	140	220	65		190	240	112	15	12
МТН 012-6***	1001, 1002	616	678	320	190	250		276	180	230	112	20	12
	2001, 2002		678	320	190	250		276	180	230	112	20	12
ДМТН 012-6	1001, 1002		612	290	159	220	70		190	240	112	15	12
	2001, 2002		612	350	159	220	65		190	240	112	15	12
МТН 111-6***	1001, 1002	650	733	350	190	305		276	220	280	132	25	15
	2001, 2002		733	350	190	305		276	220	280	132	25	15
ДМТН(Н) 111-6	1001, 1002	586	673	342	190	240		140	220	290	132	20	19
	2001, 2002		673	342	190	240	140		220	290	132	20	19
МТН 112-6***	1001, 1002	690	773	350	235	305		276	220	280	132	25	15
	2001, 2002		773	350	235	305		276	220	280	132	25	15
ДМТН(Н) 112-6	1001, 1002	626	713	342	235	285		135	220	290	132	20	19
	2001, 2002		713	342	235	285	135		220	290	132	20	19
АМТН(Н) 132 М6	1001, 1002		772	350	203	300	89		216	270	132	15	12
	2001, 2002		772	350	203	300	90		216	270	132	15	12
МТН 132LA6***	1001, 1002	675	788	350	203	255		276	216	260	132	25	12
	2001, 2002		788	350	203	255		276	216	260	132	25	12
МТН 132LB6***	1001, 1002	675	788	350	203	255		276	216	260	132	25	12
	2001, 2002		788	350	203	255		276	216	260	132	25	12
АМТН(Н) 132 L6	1001, 1002		812	350	203	300	89		216	270	132	15	12
	2001, 2002		812	350	203	300	90		216	270	132	15	12
МТН 211-6***	1001, 1002	763	875	415	243	345		276	245	305	160	25	15
	2001, 2002		875	415	243	345		276	245	305	160	25	15
АМТН(Н) 211-6	1001		-	378	243	300	150		245	300	160	20	24
	2001, 2002		885	450	260	335		276	280	355	180	30	24
МТН 311**	1001, 1002	772	885	450	260	335		276	280	355	180	30	24
	2001, 2002		885	450	260	335		276	280	355	180	30	24
МТН 311	1001, 1002	765	885	480	260	320		155	280	350	180	21,5	24
	2001, 2002		906	480	260	320	275	155	280	350	180	21,5	24
МТН 312**	1001, 1002	837	950	450	320	400		276	280	355	180	30	24
	2001, 2002		950	450	320	400		276	280	355	180	30	24
МТН 312	1001, 1002	830	950	480	320	380		170	280	350	180	21,5	24
	2001, 2002		971	480	320	380	265	170	280	350	180	21,5	24
МТН 200L**	1003, 1004	975	1118	500	305	400		276	318	400	200	25	19
	2003, 2004		1118	500	305	400		276	318	400	200	25	19
МТН 411**	1003, 1004	927	1062	540	335	425		276	330	412	225	28	28
	2003, 2004		1062	540	335	425		276	330	412	225	28	28
МТН 411	1003, 1004	899	1050	525	335	435		175	330	440	225	25	28
	2003, 2004		1060,5	525	335	435	275,5	175	330	440	225	25	28
МТН 412**	1003, 1004	1047	1190	540	420	529		276	330	412	225	28	28
	2003, 2004		1190	540	420	529		276	330	412	225	28	28
МТН 412	1003, 1004	899	1102	525	420	510		165	330	440	225	25	28
	2003, 2004		1060,5	525	420	510	200,5	165	330	440	225	25	28
4МТН 225М**	1003, 1004	1050	1190	540	311	410		276	356	442	225	28	19
	2003, 2004		1190	540	311	410		276	356	442	225	28	19
4МТН 225L**	1003, 1004	1200	1340	540	356	556		276	356	442	225	28	19
	2003, 2004		1340	540	356	556		276	356	442	225	28	19
МТН 511**	1003, 1004	1195	1337	585	310	530		276	380	480	250	30	35
	2003, 2004		1337	585	310	530		276	380	480	250	30	35
МТН 512**	1003, 1004	1215	1357	585	390	530		276	380	480	250	30	35
	2003, 2004		1357	585	390	530		276	380	480	250	30	35
4МТН 280S**	1003, 1004	1259	1438	635	368	525		276	457	565	280	32	24
4МТН 280М**	1003, 1004	1305	1489	635	419	575		276	457	565	280	32	24
4МТН 280L6**	1003, 1004	1305	1489	635	457	575		276	457	565	280	32	24
4МТН 280L10**	1003, 1004	1395	1579	635	457	590		276	457	565	280	32	24
МТН 611**	1003, 1004	1265	1438	665	345	510		276	520	640	315	40	42
МТН 612**	1003, 1004	1315	1489	665	445	600		276	520	640	315	40	42
МТН 613**	1003, 1004	1305	1489	775	540	600		276	520	640	315	40	42

ЭЛЕКТРОДВИГАТЕЛИ КРАНОВЫЕ С ФАЗНЫМ РОТОРОМ

Монтажное исполнение IM 2001 (2003), 2002 (2004)*




Габаритные, установочные и присоединительные размеры крановых электродвигателей с фазным ротором (продолжение)

Тип двигателя		d1	b1	h1	h5	l1	l3	d5	h8	d20	d22	d24	d25	l20
		D	F	GD	GA	E	E1	D1		M	S	P	N	T
MTH 011-6***	1001, 1002	28	8	7	31	60				255	4*14	280	215	4
	2001, 2002	28	8	7	31	60				255	4*14	280	215	4
DMTF 011-6	1001, 1002	28	8	7	31	60								
	2001, 2002	28	8	7	31	60				265	15	300	230	5
MTH 012-6***	1001, 1002	28	8	7	31	60				255	4*14	280	215	4
	2001, 2002	28	8	7	31	60				255	4*14	280	215	4
DMTF 012-6	1001, 1002	28	8	7	31	60								
	2001, 2002	28	8	7	31	60				265	15	300	230	5
MTH 111-6***	1001, 1002	35	10	8	38	80				300	4*18	330	250	4
	2001, 2002	35	10	8	38	80				300	4*18	330	250	4
DMTF(H) 111-6	1001, 1002	35	10	8	38	80								
	2001, 2002	35	10	8	38	80				300	18	330	250	5
MTH 112-6***	1001, 1002	35	10	8	38	80				300	4*18	330	250	4
	2001, 2002	35	10	8	38	80				300	4*18	330	250	4
DMTF(H) 112-6	1001, 1002	35	10	8	38	80								
	2001, 2002	35	10	8	38	80				300	18	330	250	5
AMTF(H) 132 M6	1001, 1002	42	12	8	45	110								
	2001, 2002	42	12	8	45	110				300	19	350	250	5
MTH 132LA6***	1001, 1002	42	12	8	45	110				300	4*19	350	250	4
	2001, 2002	42	12	8	45	110				300	4*19	350	250	4
MTH 132LB6***	1001, 1002	42	12	8	45	110				300	4*19	350	250	4
	2001, 2002	42	12	8	45	110				300	4*19	350	250	4
AMTF(H) 132 L6	1001, 1002	42	12	8	45	110								
	2001, 2002	42	12	8	45	110				300	19	350	250	5
MTH 211-6***	1001, 1002	40	12	8	43	110				300	4*18	330	250	5
	2001, 2002	40	12	8	43	110				300	4*18	330	250	5
AMTF(H) 211-6	1001	40	12	8	43	110								
MTH 311**	1001, 1002	50	14	9	53,5	110				300	4*18	350	250	5
	2001, 2002	50	14	9	53,5	110				300	4*18	350	250	5
MTH 311	1001, 1002	50	14	9	53,5	110								
	2001, 2002	50	14	9	53,5	110				300	18	350	250	5
MTH 312**	1001, 1002	50	14	9	53,5	110				300	4*18	350	250	5
	2001, 2002	50	14	9	53,5	110				300	4*18	350	250	5
MTH 312	1001, 1002	50	14	9	53,5	110								
	2001, 2002	50	14	9	53,5	110				300	18	350	250	5
MTH 200L**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9					
	2003, 2004	65	16	10	33,9	140	105	M42*3	33,9					
MTH 411**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
	2003, 2004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
MTH 411	1003, 1004	65	16			140	105	M42x3	33,9					
	2003, 2004	65	16			140	105	M42x3	33,9	350	18	400	300	5
MTH 412**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
	2003, 2004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
MTH 412	1003, 1004	65	16			140	105	M42x3	33,9					
	2003, 2004	65	16			140	105	M42x3	33,9	350	18	400	300	5
4MTM 225M**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
	2003, 2004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
4MTM 225L**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
	2003, 2004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
MTH 511**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
	2003, 2004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
MTH 512**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
	2003, 2004	70	18	11	36,4	140	105	M48*3	36,4	400	8*18	450	350	5
4MTM 280S**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
4MTM 280M**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
4MTM 280L6**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
4MTM 280L10**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
MTH 611**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
MTH 612**	1003, 1004	90	22	14	46,75	170	130	M64*4	46,8					
MTH 613**	1003, 1004	90	22			170	130	M64x4	46,8					

ЭЛЕКТРОДВИГАТЕЛИ КРАНОВЫЕ С КОРОТКОЗАМКНУТЫМ РОТОРОМ

Монтажное исполнение IM 1001 (1003), 1002 (1004)*




Габаритные, установочные и присоединительные размеры крановых электродвигателей с короткозамкнутым ротором

Тип		I30	I30*	I33	h31	I10	I11	I31	I31*	b10	b11	h	h10	d10
		L	L*	LC	HD	B	BB	C	C*	A	AB	H	HA	K
МТКН 011-6***	1001, 1002		423	505	320	150	250	132	81	180	230	112	20	12
	2001, 2002	423		505	320	150	250	111		180	230	112	20	12
ДМТКФ 011-6	1001, 1002	407		471	320	140	188	70		190	240	112	15	12
	2001, 2002	407		486	320	140	188	65		190	240	112	15	12
МТКН 012-6***	1001, 1002		455	513	320	190	250	127	76	180	230	112	20	12
	2001, 2002	455		513	320	190	250	76		180	230	112	20	12
ДМТКФ 012-6	1001, 1002	442		506	290	159	210	70		190	240	112	15	12
	2001, 2002	442		511	290	159	210	65		190	240	112	15	12
МТКН 111-6***	1001, 1002		495	592	350	190	305	140	102	220	280	132	25	15
	2001, 2002	495		592	350	190	305	135		220	280	132	25	15
ДМТКФ(Н) 111-6	1001, 1002		488	574	342	190	240		140	220	290	132	20	19
	2001, 2002	488		574	342	190	240	140		220	290	132	20	19
МТКН 112-6***	1001, 1002		502	592	350	235	305	135	62	220	280	132	25	15
	2001, 2002	502		592	350	235	305	95		220	280	132	25	15
ДМТКФ(Н) 112-6	1001, 1002		528	614	342	235	285		135	220	290	132	20	19
	2001, 2002	528		614	342	235	285	135		220	290	132	20	19
АМТКФ(Н) 132 М6	1001, 1002	536		647	350	203	245	89		216	270	132	15	12
	2001, 2002	536		647	350	203	245	90		216	270	132	15	12
МТКН 132LA6***	1001, 1002		495	577	350	203	255	89	366	216	260	132	25	12
	2001, 2002	495		577	350	203	255	127		216	260	132	25	12
МТКН 132LB6***	1001, 1002		495	577	350	203	255	89	366	216	260	132	25	12
	2001, 2002	495		577	350	203	255	127		216	260	132	25	12
АМТКФ(Н) 132 L6	1001, 1002	576		687	350	203	245	89		216	270	132	15	12
	2001, 2002	576		687	350	203	245	90		216	270	132	15	12
МТКН 211-6***	1001, 1002		608	720	415	243	345	150	107	245	305	160	25	15
	2001, 2002	608		720	415	243	345	112		245	305	160	25	15
МТКН 311**	1001, 1002		590	745	450	260	335	155	110	280	355	180	30	24
	2001, 2002	590		745	450	260	335	89		280	355	180	30	24
МТКН 311	1001, 1002		625	745	480	260	320		155	280	350	180	21,5	24
	2001, 2002	650		762	480	260	320	137	155	280	350	180	21,5	24
МТКН 312**	1001, 1002		655	810	450	320	400	170	100	280	355	180	30	24
	2001, 2002	655		810	450	320	400	79		280	355	180	30	24
МТКН 312	1001, 1002		690	810	480	320	380		170	280	350	180	21,5	24
	2001, 2002	715		827	480	320	380	127	170	280	350	180	21,5	24
МТКН 200L**	1003, 1004		780	923	510	305	400	133		318	400	200	25	19
МТКН 411**	1003, 1004		730	910	540	335	425	175	136	330	412	225	28	28
	2003, 2004	730		910	540	335	425	114		330	412	225	28	28
МТКН 411	1003, 1004		760	910	525	335	435		175	330	440	225	25	28
	2003, 2004	781		924,5	525	335	435	147,5	175	330	440	225	25	28
МТКН 412**	1003, 1004		852	995	540	420	529	165	133	330	412	225	28	28
	2003, 2004	852		995	540	420	529	162		330	412	225	28	28
МТКН 412	1003, 1004		760	974	525	420	510		165	330	440	225	25	28
	2003, 2004	781		924,5	525	420	510	72,5	165	330	440	225	25	28
4МТКМ 225M**	1003, 1004		850	998	540	311	556	149		356	442	225	28	19
4МТКМ 225L**	1003, 1004		1000	1148	540	356	556	149		356	442	225	28	19
МТКН 511**	1003, 1004		935	1105	585	310	530	251		380	480	250	30	35
МТКН 311-6/16	1001, 1002		590	745	450	260	335	155	110	280	355	180	30	24
МТКН 312-6/16	1001, 1002		655	810	450	320	400	170	100	280	355	180	30	24
МТКН 411-4/24	1003, 1004		730	910	540	335	425	175	136	330	412	225	28	28
МТКН 412-4/24	1003, 1004		852	998	540	420	529	165	133	330	412	225	28	28
МТКН 411-6/16	1003, 1004		730	910	540	335	425	175	136	330	412	225	28	28
МТКН 412-6/16	1003, 1004		852	995	540	420	529	165	133	330	412	225	28	28
МТКН 412-6/12	1003, 1004		852	995	540	420	529	165	133	330	412	225	28	28
МТКН 225M6/20	1003, 1004		850		540	311	556	149		356	442	225	28	19
МТКН 225L6/20	1003, 1004		1000		540	356	556	149		356	442	225	28	19
МТКН 225L6/12	1003, 1004		1000		540	356	556	149		356	442	225	28	19
МТКН 511-4/24	1003, 1004		935		585	310	530	251		380	480	250	30	35

ЭЛЕКТРОДВИГАТЕЛИ КРАНОВЫЕ С КОРОТКОЗАМКНУТЫМ РОТОРОМ

Монтажное исполнение IM 2001 (2003), 2002 (2004)*



Габаритные, установочные и присоединительные размеры крановых электродвигателей с короткозамкнутым ротором (продолжение)

Тип		d_1	b_1	h_1	h_5	l_1	l_3	d_5	h_8	d_{20}	d_{22}	d_{24}	d_{25}	l_{20}
		D	F	GD	GA	E	E1	D1		M	S	P	N	T
МТКН 011-6***	1001, 1002	28	8	7	31	60				255	4*14	280	215	4
	2001, 2002	28	8	7	31	60				255	4*14	280	215	4
ДМТКФ 011-6	1001, 1002	28	8	7	31	60								
	2001, 2002	28	8	7	31	60				265	15	300	230	5
МТКН 012-6***	1001, 1002	28	8	7	31	60				255	4*14	280	215	4
	2001, 2002	28	8	7	31	60				255	4*14	280	215	4
ДМТКФ 012-6	1001, 1002	28	8	7	31	60								
	2001, 2002	28	8	7	31	60				265	15	300	230	5
МТКН 111-6***	1001, 1002	35	10	8	38	80				300	4*18	330	250	4
	2001, 2002	35	10	8	38	80				300	4*18	330	250	4
ДМТКФ(Н) 111-6	1001, 1002	35	10	8	38	80								
	2001, 2002	35	10	8	38	80				300	18	330	250	5
МТКН 112-6***	1001, 1002	35	10	8	38	80				300	4*18	330	250	4
	2001, 2002	35	10	8	38	80				300	4*18	330	250	4
ДМТКФ(Н) 112-6	1001, 1002	35	10	8	38	80								
	2001, 2002	35	10	8	38	80				300	18	330	250	5
АМТКФ(Н) 132 М6	1001, 1002	42	12	8	45	110								
	2001, 2002	42	12	8	45	110				300	19	350	250	5
МТКН 132LA6***	1001, 1002	42	12	8	45	110				300	4*19	350	250	4
	2001, 2002	42	12	8	45	110				300	4*19	350	250	4
МТКН 132LB6***	1001, 1002	42	12	8	45	110				300	4*19	350	250	4
	2001, 2002	42	12	8	45	110				300	4*19	350	250	4
АМТКФ(Н) 132 L6	1001, 1002	42	12	8	45	110								
	2001, 2002	42	12	8	45	110				300	19	350	250	5
МТКН 211-6***	1001, 1002	40	12	8	43	110				300	4*18	330	250	5
	2001, 2002	40	12	8	43	110				300	4*18	330	250	5
МТКН 311**	1001, 1002	50	14	9	53,5	110				300	4*18	350	250	5
	2001, 2002	50	14	9	53,5	110				300	4*18	350	250	5
МТКН 311	1001, 1002	50	14	9	53,5	110								
	2001, 2002	50	14	9	53,5	110				300	18	350	250	5
МТКН 312**	1001, 1002	50	14	9	53,5	110				300	4*18	350	250	5
	2001, 2002	50	14	9	53,5	110				300	4*18	350	250	5
МТКН 312	1001, 1002	50	14	9	53,5	110								
	2001, 2002	50	14	9	53,5	110				300	18	350	250	5
МТКН 200L**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
МТКН 411**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
	2003, 2004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
МТКН 411	1003, 1004	65	16			140	105	M42x3	33,9					
	2003, 2004	65	16			140	105	M42x3	33,9	350	18	400	300	5
МТКН 412**	1003, 1004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
	2003, 2004	65	16	10	33,9	140	105	M42*3	33,9	350	8*18	400	300	5
МТКН 412	1003, 1004	65	16			140	105	M42x3	33,9					
	2003, 2004	65	16			140	105	M42x3	33,9	350	18	400	300	5
4МТКМ 225M**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4					
4МТКМ 225L**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4					
МТКН 511**	1003, 1004	70	18	11	36,4	140	105	M48*3	36,4					
МТКН 311-6/16	1001, 1002	50	14	9	53,5	110								
МТКН 312-6/16	1001, 1002	50	14	9	53,5	110								
МТКН 411-4/24	1003, 1004	65	16	10	33,9	140	105	M42*3						
МТКН 412-4/24	1003, 1004	65	16	10	33,9	140	105	M42*3						
МТКН 411-6/16	1003, 1004	65	16	10	33,9	140	105	M42*3						
МТКН 412-6/16	1003, 1004	65	16	10	33,9	140	105	M42*3						
МТКН 412-6/12	1003, 1004	65	16	10	33,9	140	105	M42*3						
МТКН 225M6/20	1003, 1004	70	18	11	36,4	140	105	M48*3						
МТКН 225L6/20	1003, 1004	70	18	11	36,4	140	105	M48*3						
МТКН 511-4/24	1003, 1004	70	18	11	36,4	140	105	M48*3						